



Architectural Series



TIMELESS STYLE FOR TODAY'S DISCRIMINATING BUYERS.

It's no wonder architects and builders choose real wood Turncraft Architectural Columns. These artfully crafted columns are available in the classic proportions of the Greek Doric, Tuscan, Roman Doric, Ionic and Corinthian Orders—exactly what you need to make an impressive statement. Renowned for fine workmanship and superior assembly, they will stand the test of time. From contemporary simplicity to ancient elegance, match these columns with our ornamental capitals and bases to create a classic look that is all your own.



400 SERIES

Greek Doric



BRING HOME THE ELEGANCE OF THE PARTHENON.

The distinguishing characteristics of the Greek Doric Order is the absence of a base, and the height of the column in ratio to its diameter. When used in true architectural proportions, the height of the column, including capital, is five and one-half diameters. Normally fluted, the Greek Doric has twenty flutes, with no fillets, so the flutes come to a peak. The depth of the flute is approximately one-sixth of the flute width. Greek Doric columns in antiquity are found on the Parthenon in Athens.



600 SERIES

Tuscan



SIMPLICITY GIVES YOUR DESIGN CENTER STAGE.

The distinguishing characteristic of the Tuscan Order is simplicity. Seldom fluted, the minimal mouldings and stylishly clean lines provide a robust appearance. When used in true architectural proportions, the height of the column, including capital and base, is seven diameters. Tuscan columns in antiquity are found on the Temple of Piety in Rome.



800 SERIES

Roman Doric



CLASSIC DESIGN REACHES NEW HEIGHTS.

The Roman Doric order features an increase of decorative molding over the Tuscan Order. Vignola's Denticulated Doric Cap has a stepped, three-fillet support of the echinus instead of the single-fillet support of the Tuscan Order. The Doric base is similar to the Tuscan, but the addition of a bead above the torus molding is an elegant embellishment. According to Vignola, the height of the Doric Column including cap and base should be eight diameters. Vignola Denticulated Doric is imitated closely from the Theater of Marcellus.



900 SERIES

Ionic



ADDED EMBELLISHMENTS, CREATE IMPRESSIVE SPACES.

The distinguishing features of the Ionic Order are the scrolls that decorate the capital of the column. These scrolls derived their intriguing shape from the shell of the Nautilus. We include the Temple of Winds and Roman Doric Ornamental Caps in our 900 Series, featuring intricate floral and acanthus leaf designs. The most common representations of the Ionic Order include columns with twenty-four flutes separated by fillets that are about one-third the flute width. Ionic shafts are placed on decorative Attic Bases. Customarily, the Ionic Order column height including capital and base is nine diameters. A prime example of the Ionic Order as it was used in Rome is the Temple of Fortuna Virilis.



1000 SERIES




Corinthian



MAKE IT THE CROWNING JEWEL OF YOUR PROJECT.

Columns of the Corinthian Order are crowned with an inverted bell-shaped capital. The capital is richly adorned with Acanthus leaves. This column is almost always fluted. Like the Ionic, the Corinthian column exhibits twenty-four flutes and an Attic Base. The height of Corinthian columns, including capital and base, is ten diameters. This is a common Roman order that was used on the Temple of Mars Ultor.

400 GREEK DORIC





| Shaft Nominal Bottom Diameter | Shaft Specs | | | | | | Cap Specs | | |
|-------------------------------|-------------|----------|----------|----------|--------|---------|------------------|--------------------|-----------|
| | Bottom | | Top | | Flutes | | Specs | | Materials |
| | Net O.D. | Net I.D. | Net O.D. | Net I.D. | Number | Width | Abacus Width (F) | Cap Height (E,D,C) | |
| 6" | 6 | 2 1/4 | 5 | 2 | 20 | 15/16 | 7 3/8 | 2 11/16 | W |
| 8" | 8 | 4 1/4 | 6 1/2 | 3 1/2 | 20 | 1 1/4 | 9 1/4 | 3 5/16 | W |
| 10" | 10 | 6 3/8 | 8 1/4 | 5 1/4 | 20 | 1 1/8 | 11 5/8 | 3 15/16 | W |
| 12" | 12 | 7 7/8 | 9 3/4 | 6 3/4 | 20 | 1 7/8 | 13 3/4 | 4 7/8 | W |
| 14" | 14 | 10 1/8 | 11 1/4 | 8 1/4 | 20 | 2 3/16 | 16 | 5 1/2 | W |
| 16" | 16 | 11 1/16 | 12 3/4 | 9 3/4 | 20 | 2 1/2 | 18 1/8 | 6 | W |
| 18" | 18 | 12 | 14 1/2 | 11 1/2 | 20 | 2 13/16 | 20 1/2 | 6 3/4 | W |
| 20" | 20 | 14 1/4 | 16 | 13 | 20 | 3 1/8 | 22 5/8 | 7 3/8 | W |
| 22" | 22 | 16 1/4 | 18 | 15 | 20 | 3 7/16 | 25 1/4 | 8 1/4 | W |
| 24" | 24 | 18 1/4 | 19 1/2 | 16 1/2 | 20 | 3 3/4 | 27 1/4 | 8 7/8 | W |

DORIC INTERCOLUMNIATION

Greek Doric Columns are available in fluted or unfluted versions. They may be ordered in Vignola's architectural proportions or in custom combinations of column lengths and widths as well as in non-tapered cylinders. Square architectural columns and pilasters to match detail of round tapered columns are available.

600 TUSCAN




TUSCAN INTERCOLUMNIATION

Tuscan Columns are available in fluted or unfluted versions. They may be ordered in Vignola's architectural proportions or in custom combinations of column lengths and widths as well as in non-tapered cylinders. Square architectural columns and pilasters to match detail of round tapered columns are available.

| Shaft Nominal Bottom Diameter | Shaft Specs | | | | | | Tuscan Cap and Base Specs | | | | | |
|-------------------------------|-------------|----------|----------|----------|--------|---------|---------------------------|-------------------|----------------------|------------------|--------------------|-----------|
| | Bottom | | Top | | Flutes | | Base | | | Cap | | Materials |
| | Net O.D. | Net I.D. | Net O.D. | Net I.D. | Number | Width | Plinth Width (A) | Plinth Height (B) | Total Height (B,C,D) | Abacus Width (I) | Total Height (H,G) | |
| 4" | 4 | 0 | 3 1/4 | 0 | 18 | 7/16 | 5 3/8 | 1 | 2 5/16 | 5 1/2 | 1 3/16 | WP |
| 6" | 6 | 3 | 4 3/4 | 2 1/2 | 24 | 1/2 | 8 | 1 1/2 | 3 1/4 | 7 1/2 | 1 3/4 | WP |
| 8" | 8 | 5 1/4 | 6 1/2 | 4 3/8 | 24 | 1 1/16 | 10 3/4 | 1 7/8 | 4 1/4 | 9 3/8 | 2 3/8 | WP |
| 10" | 10 | 7 1/4 | 8 1/2 | 6 3/8 | 24 | 7/8 | 13 3/8 | 2 3/8 | 5 1/4 | 12 1/8 | 3 | WP |
| 12" | 12 | 9 | 10 | 7 3/4 | 24 | 1 | 16 1/8 | 2 3/4 | 6 | 14 3/8 | 3 3/8 | WP |
| 14" | 14 | 10 3/8 | 12 | 9 | 24 | 1 1/4 | 18 3/4 | 3 3/8 | 7 3/8 | 17 1/8 | 4 | WPF |
| 15" | 15 | 11 1/16 | 12 3/4 | 10 | 24 | 1 11/32 | 20 1/8 | 3 3/8 | 7 7/8 | 18 3/16 | 4 5/16 | WP |
| 16" | 16 | 12 | 13 1/2 | 10 | 24 | 1 7/16 | 21 1/2 | 3 7/8 | 8 3/8 | 19 1/4 | 4 3/8 | WPF |
| 18" | 18 | 14 1/4 | 15 | 12 | 24 | 1 1/2 | 24 1/4 | 4 1/4 | 9 3/8 | 21 1/2 | 5 1/8 | WF |
| 20" | 20 | 16 1/4 | 17 | 13 | 24 | 1 11/16 | 27 | 4 3/4 | 10 3/4 | 24 1/4 | 5 5/8 | WF |
| 22" | 22 | 18 1/4 | 18 1/2 | 15 | 24 | 1 15/16 | 29 3/4 | 5 1/4 | 12 1/8 | 26 1/2 | 6 3/8 | WF |
| 24" | 24 | 20 1/4 | 20 | 17 | 24 | 2 1/8 | 32 1/2 | 5 3/4 | 13 1/4 | 28 3/4 | 6 7/8 | WF |
| 26" | 26 | 22 1/8 | 22 | 19 | 24 | 2 1/4 | 35 | 6 1/4 | 14 1/2 | 31 1/2 | 7 3/8 | WF |
| 28" | 28 | 24 3/8 | 23 1/2 | 21 | 24 | 2 11/16 | 38 | 6 3/4 | 15 1/2 | 33 3/8 | 8 | WF |
| 30" | 30 | 26 1/4 | 25 | 22 | 24 | 2 7/8 | 40 1/2 | 7 1/4 | 16 1/2 | 35 3/4 | 8 5/8 | WF |
| 32" | 32 | 27 | 27 | 23 | 24 | 3 | 42 3/4 | 7 3/4 | 17 3/4 | 37 3/8 | 9 1/4 | F |
| 34" | 34 | 29 | 28 1/2 | 24 1/2 | 24 | 3 1/4 | 45 1/2 | 8 1/2 | 19 3/8 | 41 | 9 3/8 | F |
| 36" | 36 | 31 | 30 | 26 | 24 | 3 1/4 | 48 | 9 | 20 3/8 | 42 3/4 | 10 1/2 | F |

800 ROMAN DORIC




ROMAN DORIC INTERCOLUMNIATION

Roman Doric Columns are available in fluted or unfluted versions. They may be ordered in Vignola's architectural proportions or in custom combinations of column lengths and widths as well as in non-tapered cylinders. Square architectural columns and pilasters to match detail of round tapered columns are available.

| Shaft Nominal Bottom Diameter | Shaft Specs | | | | | | Roman Doric Cap and Base Specs | | | | | | Materials Wood, Fiberglass, Polyurethane |
|-------------------------------|-------------|----------|----------|----------|--------|---------|--------------------------------|-------------------|----------------------|------------------|----------------------|-----|---|
| | Bottom | | Top | | Flutes | | Base | | | Cap | | | |
| | Net O.D. | Net I.D. | Net O.D. | Net I.D. | Number | Width | Plinth Width (A) | Plinth Height (B) | Total Height (B,C,D) | Abacus Width (J) | Total Height (I,G,H) | | |
| 4" | 4 | 0 | 3 1/4 | 0 | 18 | 7/16 | 5 3/8 | 1 | 2 1/2 | 5 1/8 | 1 1/2 | WP | |
| 6" | 6 | 3 | 4 3/4 | 2 1/2 | 24 | 1/2 | 8 | 1 1/2 | 3 3/4 | 7 1/2 | 2 | WP | |
| 8" | 8 | 5 1/4 | 6 1/2 | 4 3/8 | 24 | 11/16 | 10 3/4 | 1 7/8 | 4 1/4 | 9 3/4 | 2 3/8 | WP | |
| 10" | 10 | 7 1/4 | 8 1/2 | 6 3/8 | 24 | 7/8 | 13 3/8 | 2 3/8 | 5 3/8 | 12 1/2 | 3 1/8 | WP | |
| 12" | 12 | 9 | 10 | 7 3/4 | 24 | 1 | 16 1/8 | 2 3/4 | 6 3/16 | 14 3/4 | 4 | WP | |
| 14" | 14 | 10 1/8 | 12 | 9 | 24 | 1 1/4 | 18 3/4 | 3 3/8 | 7 3/8 | 17 1/2 | 4 11/16 | WPF | |
| 15" | 15 | 11 1/16 | 12 3/4 | 10 | 24 | 1 11/32 | 20 1/8 | 3 3/8 | 8 1/16 | 18 1/16 | 5 1/2 | WP | |
| 16" | 16 | 12 | 13 1/2 | 10 | 24 | 1 7/16 | 21 1/2 | 3 7/8 | 8 3/4 | 19 7/8 | 5 3/8 | WPF | |
| 18" | 18 | 14 1/4 | 15 | 12 | 24 | 1 1/2 | 24 1/4 | 4 1/4 | 9 7/8 | 22 1/4 | 6 | WF | |
| 20" | 20 | 16 1/4 | 17 | 13 | 24 | 1 11/16 | 27 | 4 3/4 | 11 | 25 | 6 3/4 | WF | |
| 22" | 22 | 18 1/4 | 18 1/2 | 15 | 24 | 1 15/16 | 29 3/4 | 5 1/4 | 12 | 27 3/8 | 7 3/8 | WF | |
| 24" | 24 | 20 1/4 | 20 | 17 | 24 | 2 1/8 | 32 1/2 | 5 3/4 | 13 1/4 | 29 3/4 | 7 15/16 | WF | |
| 26" | 26 | 22 1/8 | 22 | 19 | 24 | 2 1/4 | 35 | 6 1/4 | 14 3/8 | 32 1/2 | 8 11/16 | WF | |
| 28" | 28 | 24 1/8 | 23 1/2 | 21 | 24 | 2 11/16 | 38 | 6 3/4 | 15 3/8 | 34 3/8 | 9 3/8 | WF | |
| 30" | 30 | 26 1/4 | 25 | 22 | 24 | 2 7/8 | 40 1/2 | 7 1/4 | 16 5/8 | 37 | 9 15/16 | WF | |
| 32" | 32 | 27 | 27 | 23 | 24 | 3 | 42 3/4 | 7 3/4 | 17 3/4 | 39 1/4 | 10 3/16 | F | |
| 34" | 34 | 29 | 28 1/2 | 24 1/2 | 24 | 3 1/4 | 45 1/2 | 8 1/2 | 19 1/4 | 42 1/8 | 11 3/16 | F | |
| 36" | 36 | 31 | 30 | 26 | 24 | 3 1/4 | 48 | 9 | 20 1/4 | 44 1/8 | 12 | F | |

900 ROMAN IONIC




IONIC INTERCOLUMNIATION

Ionic Columns are available in fluted or unfluted versions. They may be ordered in Vignola's architectural proportions or in custom combinations of column lengths and widths as well as in non-tapered cylinders. Square architectural columns and pilasters to match detail of round tapered columns are available.

| Shaft Nominal Bottom Diameter | Shaft Specs | | | | | | Roman Ionic Cap and Base Specs | | | | | | |
|-------------------------------|-------------|----------|----------|----------|--------|---------|--------------------------------|--------------------------|------------------|---|--------------------|--------|--|
| | Bottom | | Top | | Flutes | | Base | | | Cap | | | |
| | Net O.D. | Net I.D. | Net O.D. | Net I.D. | Number | Width | Attic Base Specs | | | Materials Wood, Fiberglass, Polyurethane | Roman Ionic Specs* | | Materials Wood,** Composite, Poly/Resin |
| Plinth Width (A) | | | | | | | Plinth Height (B) | Total Height (B,C,D,E,F) | Abacus Width (H) | | Capital Height (G) | | |
| 6" | 6 | 3 | 4 3/4 | 2 1/2 | 24 | 1/2 | 8 | 1 1/2 | 3 1/2 | WP | 6 1/8 | 2 1/4 | WCP |
| 8" | 8 | 5 1/4 | 6 1/2 | 4 3/8 | 24 | 11/16 | 10 3/4 | 1 7/8 | 5 1/8 | WP | 8 1/4 | 3 | WCP |
| 10" | 10 | 7 1/4 | 8 1/2 | 6 3/8 | 24 | 7/8 | 13 3/8 | 2 3/8 | 6 1/4 | WP | 11 | 3 3/8 | WCP |
| 12" | 12 | 9 | 10 | 7 3/4 | 24 | 1 | 16 1/8 | 2 3/4 | 7 1/4 | WP | 12 1/2 | 4 1/2 | WCP |
| 14" | 14 | 10 1/8 | 12 | 9 | 24 | 1 1/4 | 18 3/4 | 3 3/8 | 8 3/4 | WPF | 17 1/2 | 5 1/2 | CP |
| 15" | 15 | 11 1/16 | 12 3/4 | 10 | 24 | 1 11/32 | 20 1/8 | 3 3/8 | 9 7/16 | WP | 17 1/2 | 5 1/2 | CP |
| 16" | 16 | 12 | 13 1/2 | 10 | 24 | 1 7/16 | 21 1/2 | 3 7/8 | 10 1/8 | WPF | 17 1/2 | 6 1/8 | CP |
| 18" | 18 | 14 1/4 | 15 | 12 | 24 | 1 1/2 | 24 1/4 | 4 1/4 | 11 3/8 | WF | 20 | 6 1/2 | CP |
| 20" | 20 | 16 1/4 | 17 | 13 | 24 | 1 11/16 | 27 | 4 3/4 | 12 7/8 | WF | 20 | 6 1/2 | CP |
| 22" | 22 | 18 1/4 | 18 1/2 | 15 | 24 | 1 15/16 | 29 3/4 | 5 1/4 | 14 1/4 | WF | 25 | 8 3/4 | CP |
| 24" | 24 | 20 1/4 | 20 | 17 | 24 | 2 1/8 | 32 1/2 | 5 3/4 | 15 11/16 | WF | 25 1/4 | 9 | C |
| 26" | 26 | 22 1/8 | 22 | 19 | 24 | 2 1/4 | 35 | 6 1/4 | 16 7/8 | WF | 26 1/2 | 9 1/2 | C |
| 28" | 28 | 24 1/8 | 23 1/2 | 21 | 24 | 2 11/16 | 38 | 6 3/4 | 18 1/8 | WF | 32 | 12 1/2 | C |
| 30" | 30 | 26 1/4 | 25 | 22 | 24 | 2 7/8 | 40 1/2 | 7 1/4 | 19 1/4 | WF | 32 | 12 1/2 | C |

*Sizes shown for Roman Ionic Cap. See Ornamental Capital table for sizes of all available styles. **Not all capital styles available in wood, not all styles in all sizes.

1000 ROMAN CORINTHIAN



CORINTHIAN INTERCOLUMNIATION

Corinthian Columns are available in fluted or unfluted versions. They may be ordered in Vignola's architectural proportions or in custom combinations of column lengths and widths as well as in non-tapered cylinders. Square architectural columns and pilasters to match detail of round tapered columns are available.

| Shaft Nominal Bottom Diameter | Shaft Specs | | | | | | Roman Corinthian Cap and Base Specs | | | | | | |
|-------------------------------------|-------------|-------------|-------------|-------------|--------|---------|-------------------------------------|-------------------------|------------------------------|--|------------------------|------------------------|---|
| | Bottom | | Top | | Flutes | | Base | | | Cap | | | |
| | Net O.D. | Net I.D. | Net O.D. | Net I.D. | Number | Width | Attic Base Specs | | | Materials Wood, Fiberglass, Polyurethane | Specs | | Materials Wood, Composite, Poly/Resin |
| | | | | | | | Plinth Width (A) | Plinth Height (B) | Total Height (C,D,E,F) | | Abacus Width (H) | Total Height (G) | |
| 6" | 6 | 3 | 4 3/4 | 2 1/2 | 24 | 1/2 | 8 | 1 1/2 | 3 1/2 | WPF | 9 1/2 | 7 | WCP |
| 8" | 8 | 5 1/4 | 6 1/2 | 4 3/8 | 24 | 11/16 | 10 3/4 | 1 7/8 | 5 1/8 | WPF | 12 | 8 1/2 | WCP |
| 10" | 10 | 7 1/4 | 8 1/2 | 6 3/8 | 24 | 7/8 | 13 3/8 | 2 3/8 | 6 1/4 | WPF | 15 | 12 | WCP |
| 12" | 12 | 9 | 10 | 7 3/4 | 24 | 1 | 16 1/8 | 2 3/4 | 7 1/4 | WPF | 18 1/2 | 14 1/2 | WCP |
| 14" | 14 | 10 1/8 | 12 | 9 | 24 | 1 1/4 | 18 3/4 | 3 3/8 | 8 3/4 | WPF | 22 | 17 | CP |
| 15" | 15 | 11 1/16 | 12 3/4 | 10 | 24 | 1 11/32 | 20 1/8 | 3 5/8 | 9 7/16 | WPF | 22 | 17 | CP |
| 16" | 16 | 12 | 13 1/2 | 10 | 24 | 1 7/16 | 21 1/2 | 3 7/8 | 10 1/8 | WPF | 27 | 20 | CP |
| 18" | 18 | 14 1/4 | 15 | 12 | 24 | 1 1/2 | 24 1/4 | 4 1/4 | 11 3/8 | WF | 32 1/2 | 23 | CP |
| 20" | 20 | 16 1/4 | 17 | 13 | 24 | 1 11/16 | 27 | 4 3/4 | 12 7/8 | WF | 39 | 25 1/2 | CP |
| 22" | 22 | 18 3/4 | 18 1/2 | 15 | 24 | 1 15/16 | 29 3/4 | 5 1/4 | 14 1/4 | WF | 42 | 28 1/2 | CP |
| 24" | 24 | 20 1/4 | 20 | 17 | 24 | 2 1/8 | 32 1/2 | 5 3/4 | 15 11/16 | WF | 42 | 28 1/2 | CP |
| 26" | 26 | 22 1/8 | 22 | 19 | 24 | 2 1/4 | 35 | 6 1/4 | 16 7/8 | WF | 42 | 32 | C |
| 28" | 28 | 24 1/8 | 23 1/2 | 21 | 24 | 2 11/16 | 38 | 6 3/4 | 18 1/8 | WF | 46 | 34 | C |
| 30" | 30 | 26 1/4 | 25 | 22 | 24 | 2 7/8 | 40 1/2 | 7 1/4 | 19 1/4 | WF | 46 1/2 | 37 1/2 | C |

CALCULATED SAFE-LOAD CAPACITIES


| Diameter | Pine | Redwood | Available Heights* |
|----------|--------|---------|--------------------|
| 6" | 2,567 | 5,146 | 3' to 10' |
| 8" | 4,114 | 7,646 | 4' to 12' |
| 10" | 5,497 | 10,474 | 5' to 16' |
| 12" | 6,620 | 12,535 | 6' to 20' |
| 14" | 11,017 | 15,282 | 6' to 20' |
| 16" | 12,307 | 17,343 | 6' to 24' |
| 18" | 14,487 | 19,404 | 6' to 24' |
| 20" | 16,688 | 22,151 | 6' to 30' |
| 22" | 18,426 | 24,212 | 8' to 30' |
| 24" | 20,018 | 26,272 | 8' to 30' |
| 26" | 22,252 | 36,870 | 8' to 30' |
| 28" | 24,001 | 39,519 | 8' to 30' |
| 30" | 25,746 | 42,169 | 8' to 30' |
| 32" | 42,080 | 55,317 | 8' to 30' |
| 34" | 44,567 | 57,476 | 8' to 30' |
| 36" | 47,054 | 61,794 | 8' to 30' |

The sample columns tested supported loads at least four times the calculated values to the left prior to failure. The load was applied concentrically through the axis of the column. Loads shown are valid only if there is uniform contact between the full area of column ends and the cap and base units. Loads are provided for your convenience only and are not exact values. Consult a structural engineer for the most accurate load estimates.

* Custom sizes available on request.

PLAN TYPES

Architectural Columns are available in the following plan types. Please specify when you order. Custom plan types are also available.





ORNAMENTAL CAPITALS FOR ARCHITECTURAL WOOD COLUMNS

| Shaft Nominal Bottom Width | 1 Empire | | | 2 Empire w/Necking | | | 3 Greek Erectheum | | | 4 Scamozzi | | | 5 Greek Erectheum w/Necking | | |
|-------------------------------------|-----------------|-------------------|-----------------|--------------------|-------------------|-----------------|-------------------|-------------------|-----------------|-----------------|-------------------|-----------------|-----------------------------|-------------------|-----------------|
| | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height | Scroll Width |
| 6" | 9 | 3 1/8 | 8 3/4 | 9 | 6 7/8 | 8 3/4 | 6 3/4 | 3 1/4 | 8 1/2 | 7 3/4 | 2 5/8 | 6 1/4 | N/A | | |
| 8" | 10 | 3 3/4 | 9 | 10 | 7 3/4 | 9 | 7 3/4 | 4 1/2 | 11 3/4 | 10 1/4 | 3 | 9 | N/A | | |
| 10" | 16 | 5 1/2 | 13 1/2 | 13 1/2 | 10 | 12 1/4 | 12 | 5 1/2 | 17 1/2 | 16 | 4 1/2 | 14 | N/A | | |
| 12" | 18 | 6 3/4 | 17 | 18 | 11 | 17 | 14 1/2 | 6 1/4 | 21 | 17 1/2 | 5 | 15 1/2 | 14 1/2 | 9 1/2 | 21 |
| 14" | 20 1/2 | 7 1/4 | 19 1/2 | 20 1/2 | 14 1/2 | 19 1/2 | 15 | 7 | 21 | 19 1/2 | 6 | 16 1/2 | 15 | 11 1/4 | 21 |
| 15" | 23 | 8 3/4 | 19 1/2 | 20 1/2 | 14 1/2 | 19 1/2 | N/A | | | 19 1/2 | 6 | 16 1/2 | 15 | 11 1/4 | 21 |
| 16" | 23 | 8 3/4 | 19 1/2 | 23 | 17 | 19 1/2 | 17 1/2 | 9 | 26 | 22 1/4 | 6 1/4 | 18 1/2 | 17 1/2 | 13 1/2 | 26 |
| 18" | 32 | 10 | 25 1/4 | 32 | 15 | 26 1/4 | 22 | 10 1/4 | 29 | 25 | 7 1/2 | 20 1/4 | 22 1/2 | 15 | 29 |
| 20" | 34 | 11 1/4 | 28 | 34 | 17 1/4 | 28 | 26 | 11 | 36 | 28 1/2 | 8 1/2 | 24 | 26 | 17 | 36 |
| 22" | 35 1/2 | 12 3/4 | 35 | 34 | 17 1/4 | 28 | 26 | 11 1/4 | 36 1/4 | 28 1/2 | 8 1/2 | 24 | 26 | 17 | 36 |
| 24" | 35 1/2 | 12 3/4 | 35 | 35 1/2 | 19 | 35 | 30 1/2 | 13 | 43 | 34 1/4 | 10 1/4 | 29 1/2 | 30 1/2 | 19 | 43 |
| 26" | 37 | 13 | 35 | 37 | 19 | 35 | 32 1/2 | 13 | 43 | 35 1/4 | 11 | 29 3/4 | 32 1/2 | 19 1/2 | 43 |
| 28" | N/A | | | 37 | 19 | 35 | 31 | 15 | 45 1/2 | 39 | 12 3/4 | 33 | 31 | 24 3/4 | 45 1/2 |
| 30" | N/A | | | N/A | | | 31 | 15 | 60 1/2 | 39 | 12 3/4 | 33 | 31 | 24 3/4 | 45 1/2 |
| 36" | N/A | | | N/A | | | N/A | | | 46 | 15 | 38 1/2 | N/A | | |

| Shaft Nominal Bottom Width | 6 Roman Corinthian | | 7 Roman Doric Ornamental | | 8 Modern Composite | | 9 Roman Ionic | | | 10 Greek Angular Ionic | | | 11 Temple of Winds | |
|-------------------------------------|--------------------|-------------------|--------------------------|-------------------|--------------------|-------------------|-----------------|-------------------|-----------------|------------------------|-------------------|-----------------|--------------------|-------------------|
| | Abacus Width | Capital Height | Abacus Width | Capital Height | Abacus Width | Capital Height | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height | Scroll Width | Abacus Width | Capital Height |
| 4" | N/A | | N/A | | N/A | | N/A | | | N/A | | | 6 | 6 |
| 6" | 9 1/2 | 7 | 8 3/4 | 4 | 8 | 7 | 6 5/8 | 2 1/4 | 8 1/16 | N/A | | | 8 | 7 |
| 8" | 12 | 8 1/2 | 13 1/8 | 6 | 10 3/4 | 8 1/2 | 8 1/4 | 3 | 10 1/2 | 9 1/2 | 3 3/4 | 9 | 10 1/2 | 7 1/2 |
| 10" | 15 | 12 | 14 1/4 | 6 3/4 | 16 1/2 | 11 1/2 | 11 | 3 5/8 | 13 5/8 | 14 1/2 | 5 3/8 | 13 1/4 | 15 1/4 | 11 1/8 |
| 12" | 18 1/2 | 14 1/2 | 16 1/4 | 7 | 19 | 14 1/2 | 12 1/2 | 4 1/2 | 16 1/2 | 17 1/4 | 6 | 17 | 16 7/8 | 11 3/8 |
| 14" | 22 | 17 | 21 | 9 | 20 | 17 | 17 1/2 | 5 1/2 | 23 | 20 3/4 | 7 1/4 | 19 1/4 | 21 1/4 | 14 |
| 15" | 22 | 17 | 24 | 10 1/2 | 20 | 17 | 17 1/2 | 6 1/8 | 22 | 20 1/2 | 8 3/8 | 19 1/2 | 21 1/4 | 14 |
| 16" | 27 | 20 | 24 | 10 1/2 | N/A | | 17 1/2 | 6 1/8 | 22 | 20 1/2 | 8 3/8 | 19 1/2 | 23 | 16 |
| 18" | 32 1/2 | 23 | 28 | 12 1/2 | 25 | 22 1/2 | 20 | 6 1/2 | 24 1/4 | 24 1/4 | 9 3/4 | 19 3/4 | 26 3/4 | 18 1/8 |
| 20" | 39 | 25 1/2 | N/A | | 25 | 22 1/2 | 25 | 8 3/4 | 31 3/4 | 29 3/4 | 11 | 28 | 28 | 21 1/2 |
| 22" | 42 | 28 1/2 | N/A | | N/A | | 25 | 8 3/4 | 31 3/4 | 29 3/4 | 11 | 28 | 34 1/2 | 23 1/4 |
| 24" | 42 | 28 1/2 | N/A | | N/A | | 25 1/4 | 9 | 33 | 35 | 12 3/4 | 34 1/2 | 31 1/4 | 28 1/2 |
| 26" | 42 | 32 | N/A | | N/A | | 26 1/2 | 9 1/2 | 33 3/4 | 39 1/2 | 14 3/4 | 38 | 35 | 24 |
| 28" | 46 | 34 | N/A | | N/A | | 32 | 12 1/2 | 40 1/2 | 39 1/2 | 14 3/4 | 38 | 37 | 28 |
| 30" | 46 1/2 | 37 1/2 | N/A | | N/A | | 32 | 12 1/2 | 40 1/2 | N/A | | | 39 | 30 |
| 36" | 55 | 42 | N/A | | N/A | | N/A | | | N/A | | | N/A | |



Plaster Ornamental Capitals are coated with boiled linseed oil and turpentine as a temporary protector until they can be primed and coated with at least two coats of oil-base paint on the inside and outside. (If capitals are allowed to gather moisture before painting, peeling is likely to occur and further coating will be futile.) Ornamental Capitals are shipped with a load-bearing plug, which must bear the weight of any load on the column. Specifications and materials are subject to change without notice. Poly/Resin Capitals are load bearing, and do not require plugs.

Exterior and paint-grade interior columns feature polyurethane or fiberglass caps & bases (see charts) to provide crisp, true architectural detail and increased durability. Special-order wood caps & bases are available. Optional aluminum plinths provide an extra measure of protection.